







MODEL 6201-1142-TL

MODEL 6201-1142-TR




**MODEL 6201-1142-TL
TOP LEFT**

**MODEL 6201-1142-TR
TOP RIGHT**





MATERIAL: ALUMINUM
FINISH: AS MACHINED
WEIGHT: 9.9 LBS / 4.5 Kg

- FABRICATED FROM EXTRUDED ALUMINUM CHANNELS.
- MACHINED ON ALL 6 SIDES FOR CLOSE TOLERANCE.
- LIGHT WEIGHT 9.9 LBS PER FITTING.
- MEETS ALL SIZE AND STRENGTH REQUIREMENTS OF ISO 1161.




MODEL 6201-1142-BL

MODEL 6201-1142-BR



**MODEL 6201-1142-BL
BOTTOM LEFT**

**MODEL 6201-1142-BR
BOTTOM RIGHT**




MATERIAL: ALUMINUM
FINISH: AS MACHINED
WEIGHT: 9.9 LBS / 4.5 Kg

6200


MODEL 6201-1369

TOP LEFT CASTING




MODEL 6201-1370

TOP RIGHT CASTING




MODEL 6201-1371

BOTTOM LEFT CASTING




MODEL 6201-1372

BOTTOM RIGHT CASTING



6200



NOTE: STANDARD ISO CONTAINERS USE 8 EA. CORNER CASTINGS CONSISTING OF:
 2 PCS TOP LEFT **MODEL 6201-1369** **WEIGHT:** 23.0 LBS / 10.43 Kg
 2 PCS TOP RIGHT **MODEL 6201-1370** **WEIGHT:** 23.0 LBS / 10.43 Kg
 2 PCS BOTTOM LEFT **MODEL 6201-1371** **WEIGHT:** 24.0 LBS / 10.89 Kg
 2 PCS BOTTOM RIGHT **MODEL 6201-1372** **WEIGHT:** 24.0 LBS / 10.89 Kg
MATERIAL: ASTM A27 GR 70-36 OR EQUIV. CAST STEEL
FINISH: MACHINED ALL SIX SIDES AND SHOT BLASTED

MANUFACTURED IN ACCORDANCE WITH APPROVAL CERTIFICATES BY BUREAU VERITAS.
 CASTINGS MEET REQUIREMENTS OF ISO 1161 FOR ISO CONTAINERS




CORNER CASTING A-CORN APERTURE PLUG

MODEL 6201-1612-BR

MODEL 6201-1612-BL

**CORNER CASTING
BOTTOM CORNER ONLY**



RIGHT HAND SHOWN, LEFT IS OPPOSITE


FOR 45' x 8' EURO CONTAINER

SPECIAL ORDER ONLY

**MATERIAL: CAST STEEL
WEIGHT: 29.8 LBS / 13.5 Kg**

MODEL 6201-2969

WELD-IN A-CORN APERTURE PLUG



**TO PREVENT HOOK LIFTING
IN TOP ISO CORNER CASTINGS**

**MATERIAL: STEEL FINISH: SELF-COLOR
WEIGHT: 0.89 LBS / 0.4 Kg**

6200

BUFFERS USA INC

"The Intermodal Hardware Specialists"



904-696-0010

FAX 904-696-0019


E-mail: sales@buffersusa.com

6201-3


SLOTTED CORNER CASTING FOR FOLDING END FLATRACKS

MODEL 4002-1432-A


MODEL 4002-1432-B





**4002-1432-A
LEFT**



**4002-1432-B
RIGHT**



**MODEL 4002-1432-A
LEFT CASTING SHOWN,
MODEL 4002-1432-B
RIGHT CASTING IS THE MIRROR OPPOSITE**



MATERIAL: CAST STEEL PER ISO 1161 REQUIREMENTS
FINISH: MACHINED ALL SIDES AND SHOT BLASTED

6200